

HC2D2 miniBOOSTER



HC2D2: 8

P_{IN} : 20 - 200 ()

P_H : 800 ()

P_{RETURN} () ; ()

$$P_H = (P_{IN} - P_{RETURN}) i \left(\frac{2}{1} \right)$$

2

: .5

:

A =

HC2D2


miniBOOSTER, HC2D2

3 /

4,15 .

HC2D2

i	/	/
1,2	4,2	6,0
1,6	3,2	6,0
2,2	2,7	7,0
3,0	2,1	7,0
4,0	1,6	7,0
5,6	1,3	8,0
8,0	1,0	8,0
12,0	0,6	8,0



0-122 Model

	IN / R	H1, S1, H2 S2	D1 D2
1	1/4" BSPP	1/4" BSPP	1/8" BSPP

BSPP

	IN / R	H
	1/4" BSPP	1/4" BSPP
	4,0 10/	4,0 10/
	3,0 10/	-
	4,0 10/	4,0 10/

1: , (. > 5%)

2: ,
! miniBOOSTER

• , , , H- pur (, : ,)

HC2D2

HC2D2

i = 4,0,

BSPP: HC2D2 – 4,0 - A – 1HH

	<i>i</i>		
HC2D2
		$A = () / A$	1